

# New Berlin Recreation Department



## 2019 Softball Bat Information

Your bat must bear **ONE** of the following marks: **(1)** the ASA approved 2000 certification mark, **(2)** the ASA 2004 certification mark, or **(3)** the ASA 2013 Certification Mark (Slow Pitch ONLY). Additionally, bats must not be listed on the *Non-Approved Bat List* with 2000 or 2004 Certification Mark.



**AND** must be included on a list of approved bat models published by the ASA National Office; **OR** must, in the sole opinion and discretion of the umpire, have been manufactured prior to 2000 and if tested, would comply with the ASA bat performance standards then in effect.

### Banned Bats:

Bass Quake	Louisville Slugger FP1369
Combat VIRSP3 Lady Virus	Louisville Slugger FPC305 Catalyst (-8)
Easton SCN1	Louisville Slugger SB304
Easton SCN11BH	Louisville Slugger SB34 Genesis
Easton SCN1B	Louisville Slugger SB404
Easton SCN2B	Louisville Slugger SB73V TPS Voltage
Easton SCN3	Miken MSF Freak
Easton SCN4B	Miken MSU Ultra
Easton SCN5	Miken MSU2 Ultra II
Easton SCN5B	Miken MSUM Ultra Maxload
Easton SCN6B	Nokona Tomahawk
Easton SCN7	Schutt Red/ Silver Schutt Bat
Easton SCN7B	Worth EST9
Easton SCN8	Worth QESTFP
Easton SCN8B	Worth SBWK (Wicked)
Easton SCN9	Worth SBWKA
Easton SCX14	Worth WWSC Wicked Comp. (Slow Pitch only)
Easton SCX14B	Worth WWSCA
Easton SCX2 Synergy	Worth XEST9X
Easton SCX22 Synergy 2	Worth XGold
Easton SCX24B	Worth XPST4
Easton SCX3	Worth XRed
Louisville Slugger FP136	Worth XWICKX (Slow Pitch only)
Louisville Slugger FP 1368	